

# C SYSTEM MANUAL CONTROL



Uni-Blinds®

Innovation comes built-in

# LIGHT & SHADE MADE EASY



The Corded Uni-Blind is a patented magnetic system enabling the manual operation of Venetian blinds incorporated within the 20, 22, 27 or 29mm cavity of insulating glass units. With this system, the slat raising, lowering and tilting function is achieved using a rotational magnetic transmission through the glass, thereby guaranteeing the double-glazed unit's hermetic seal. Two set of magnets work together to provide this functionality – one is inserted in the blind head rail within the cavity and the other applied to the external glass surface.

## Be in full control of the light in your home

A continuous cord loop drives the external magnet, which controls the raising and lowering of the blind. The cord is held lightly under tension by a cord tensioner and fully complies with the British Blind and Shutter Association – 'Make it Safe' campaign.



**make it  
safe**

# BENEFITS OF THE CORDED SYSTEM

## Simple, elegant, corded blinds

- Suitable for all vertical window applications
- Ideal solution for conservatory shading
- Total privacy and light control for sliding or bi-fold doors
- Enables excellent utilisation of partitioned office space requiring privacy
- Suitable for retro installation into existing frames



# HOW THE C SYSTEM OPERATES

^ RAISING

v LOWERING

⌵ TILTING

There are several different ways that Uni-Blinds® Venetian blinds can be operated using the C System. They are all equally reliable and smooth so the choice is really down to how the blinds will be used and personal preference.



## Cord

With the cord mechanism, the slat raising, lowering, and tilting function is achieved using a rotational magnetic transmission through the glass. This is taken care of by one set of magnets inserted in the blind head rail within the cavity and the other applied to the external glass surface.



## Wand

The wand mechanism comprises a small pole attached at the top to the room-facing pane of the double glazed unit. It is twisted to open and close the blind just like traditional Venetian blinds. Please note that wand operation can only function to tilt the blind and cannot be used to raise the blinds completely.

















## Rotational Knob

A stylish rotational knob mechanism is recommended for tilt-only Uni-Blinds® where a clean window or door's appearance is sought, free of the obstruction of a cord or wand down the glass unit. The rotational knob enables the opening and closing of the Venetian blind in a smooth, easy to use motion.

# ADD A SPLASH OF COLOUR

Our Venetian Uni-Blinds® are designed to match any home. With 14 colours to choose from we're certain there is one perfect for you.

## SLAT COLOUR

 <p><b>S102</b></p>	<p><b>S102 WHITE</b> Solar reflection 70% Light reflection 78% Solar absorption 30% <i>Standard colour</i></p>	 <p><b>S106</b></p>	<p><b>S106 YELLOW</b> Solar reflection 62% Light reflection 72% Solar absorption 38%</p>	 <p><b>S120 EXCLUSIVE</b></p>	<p><b>S120 AGATE GREY</b> Solar reflection 41% Light reflection 41% Solar absorption 59%</p>
 <p><b>S125</b></p>	<p><b>S125 BEIGE</b> Solar reflection 57% Light reflection 63% Solar absorption 43%</p>	 <p><b>S130</b></p>	<p><b>S130 GREEN</b> Solar reflection 58% Light reflection 65% Solar absorption 42%</p>	 <p><b>S142</b></p>	<p><b>S142 LIGHT BLUE</b> Solar reflection 65% Light reflection 69% Solar absorption 35%</p>
 <p><b>S149</b></p>	<p><b>S149 CREAM</b> Solar reflection 68% Light reflection 75% Solar absorption 32% <i>Standard colour</i></p>	 <p><b>S155</b></p>	<p><b>S155 GREY</b> Solar reflection 42% Light reflection 48% Solar absorption 59%</p>	 <p><b>S156</b></p>	<p><b>S156 METALLIC SILVER</b> Solar reflection 65% Light reflection 62% Solar absorption 35%</p>
 <p><b>S157</b></p>	<p><b>S157 SILVER</b> Solar reflection 43% Light reflection 44% Solar absorption 57% <i>Standard colour</i></p>	 <p><b>S158</b></p>	<p><b>S158 SLATE GREY</b> Solar reflection 20% Light reflection 21% Solar absorption 80%</p>	 <p><b>S159 EXCLUSIVE</b></p>	<p><b>S159 ANTHRACITE</b> Solar reflection 12% Light reflection 13% Solar absorption 88%</p>
 <p><b>B160 EXCLUSIVE</b></p>	<p><b>B160 BLACK</b> Solar reflection 4% Light reflection 4% Solar absorption 96%</p>	 <p><b>S159 S102 EXCLUSIVE</b></p>	<p><b>DUAL COLOUR S159/S102</b> Solar reflection 12% Light reflection 13% Solar absorption 88%</p>		

\*Please consider on south-facing elevations the high solar heat gain during the summer months may result in the glass being too warm to touch. In this case, we recommend a high solar control glass type such as SKN 176 which will reduce but not eradicate the heat. Please bare this in mind when choosing the colour of your Uni-Blinds® especially S158, S159 and B160.

\*\*Colour specifications may be subject to change

## CORD MECHANISM COLOUR



## HEADRAIL COLOUR

\*Headrail colour to match blind slat, excluding S120, S158, and dual colour.



Uni-Blinds®

Innovation comes built-in

Produced by Claremon | [claremon.co.uk](http://claremon.co.uk)